

CSC 222: Object-Oriented Programming

Fall 2015

Object-oriented design

- example: word frequencies w/ parallel lists
- exception handling
- `System.out.format`
- example: word frequencies w/ objects
- object-oriented design issues
 - cohesion & coupling

Another example: word frequencies

recall the LetterFreq application

- read in words from a file, count the number of occurrences of each letter

now consider an extension: we want a list of words and their frequencies

- i.e., keep track of how many times each word appears, report that number

basic algorithm: similar to LetterFreq except must store words & counts

```
while (STRINGS_REMAIN_TO_BE_READ) {
    word = NEXT_WORD_IN_FILE;
    word = word.toLowerCase();

    if (ALREADY_STORED_IN_LIST) {
        INCREMENT_THE_COUNT_FOR_THAT_WORD;
    }
    else {
        ADD_TO_LIST_WITH_COUNT_OF_1;
    }
}
```

Parallel lists

we could maintain two different lists: one for words and one for counts

- `count.get(i)` is the number of times `word.get(i)` appears
- known as *parallel lists* since elements in parallel indices are related



WordFreq1

need two different
lists for words &
counts

- for each new word,
check if already stored
- if so, increment its count
- if not, add the word & 1

- if you add a word but
forget to add a count ...

```
public class WordFreq1 {
    private ArrayList<String> words
    private ArrayList<Integer> counts;
    private int totalWords;

    public WordFreq1(String fileName)
        throws java.io.FileNotFoundException {
        this.words = new ArrayList<String>();
        this.counts = new ArrayList<Integer>();
        this.totalWords = 0;

        Scanner infile = new Scanner(new File(fileName));
        while (infile.hasNext()) {
            String nextWord = infile.next().toLowerCase();
            int index = words.indexOf(nextWord);
            if (index >= 0) {
                this.counts.set(index, this.counts.get(index)+1);
            }
            else {
                this.words.add(nextWord);
                this.counts.add(1);
            }
            this.totalWords++;
        }
    }

    . . .
}
```

WordFreq1

getCount and
getPercentage
must search

this.words to
find the desired
word

- if found, access the corresponding count
- if not, must avoid index-out-of-bounds error

```
. . .

public int getCount(String str) {
    int index = this.words.indexOf(str.toLowerCase());
    if (index >= 0) {
        return this.counts.get(index);
    }
    else {
        return 0;
    }
}

public double getPercentage(String str) {
    int index = this.words.indexOf(str.toLowerCase());
    if (index >= 0) {
        return Math.round(1000.0*this.counts.get(index)/
                           this.totalWords)/10.0;
    }
    else {
        return 0.0;
    }
}

public void showCounts() {
    for (String nextWord : this.words) {
        System.out.println(nextWord + ": " +
                           this.getCount(nextWord) + "\t(" +
                           this.getPercentage(nextWord) + "%)");
    }
}
}
```

Exception handling

recall: Java forces code to acknowledge potential (common) errors

- if an exception (error) E is possible, the method can declare "throws E"
- alternatively, can use try-catch to specify what will happen

```
try {  
    // CODE TO TRY  
}  
catch (EXCEPTION e) {  
    // CODE TO HANDLE  
}
```

```
public class WordFreq1 {  
    private ArrayList<String> words  
    private ArrayList<Integer> counts;  
    private int totalWords;  
  
    public WordFreq1(String fileName) {  
        this.words = new ArrayList<String>();  
        this.counts = new ArrayList<Integer>();  
        this.totalWords = 0;  
  
        try {  
            Scanner infile = new Scanner(new File(fileName));  
            while (infile.hasNext()) {  
                String nextWord = infile.next().toLowerCase();  
                int index = words.indexOf(nextWord);  
                if (index >= 0) {  
                    this.counts.set(index, this.counts.get(index)+1);  
                }  
                else {  
                    this.words.add(nextWord);  
                    this.counts.add(1);  
                }  
                this.totalWords++;  
            }  
        }  
        catch (java.io.FileNotFoundException e) {  
            System.out.println("FILE NOT FOUND: " + filename);  
        }  
    }  
  
    . . .  
}
```

result: if file not found, error message, empty lists, & program continues

Rounding vs. formatting

as is, `getPercentage`
rounds the percentage
to 1 decimal place

- not ideal
- better to store the number at full precision, round the display as desired

`System.out.format`
allows you to control
the format of output

```
. . .

public double getPercentage(String str) {
    int index = this.words.indexOf(str.toLowerCase());
    if (index >= 0) {
        return Math.round(1000.0*this.counts.get(index)/
this.totalWords)/10.0;
    }
    else {
        return 0.0;
    }
}

public void showCounts() {
    for (String nextWord : this.words) {
        System.out.println(nextWord + ": " +
            this.getCount(nextWord) + "\t(" +
                this.getPercentage(nextWord) + "%)");
    }
}
}
```

System.out.format

general form:

```
System.out.format (FORMAT_STRING, VALUES) ;
```

- the format string is a string that contains the message to be printed, with placeholders for the values

%s	String value	%d	decimal (integer) value
%n	newline	%f	float (real) value

- can add field widths to placeholders

%8s	displays String (right-justified) in field of 8 characters
%-8s	displays String (left-justified) in field of 8 characters

%.2f	display float (right-justified) with 2 digits to right of decimal place
%6.2f	displays float (right-justified) in field of 6 chars, 2 digits to right of decimal

System.out.format examples

```
String name1 = "Chris";           String name2 = "Pat";  
double score1 = 200.0/3;         double score2 = 89.9;
```

```
System.out.format("%s scored %f", name1, score1);
```

```
System.out.format("%s scored %5.1f", name1, score1);
```

```
System.out.format("%s scored %3.0f", name2, score2)
```

```
System.out.format("%-8s scored %f5.1%n", name1, score1);
```

```
System.out.format("%-8s scored %f5.1%n", name2, score2);
```

note: `System.out.format` is identical to `System.out.printf`

WordFreq1

better solution:

- `getPercentage` returns the actual percentage
- `showCount` formats the percentage when displaying
- if we want the words left-justified but ending in a colon, must add the colon to the value
- display the percent sign using `%%`

```
. . .  
  
public double getPercentage(String str) {  
    int index = this.words.indexOf(str.toLowerCase());  
    if (index >= 0) {  
        return 100.0*this.counts.get(index)/this.totalWords;  
    }  
    else {  
        return 0.0;  
    }  
}  
  
public void showCounts() {  
    for (String nextWord : this.words) {  
        System.out.format("%-15s %5d (%5.1f%%)%n", nextWord+":",  
            this.getCount(nextWord),  
            this.getPercentage(nextWord));  
    }  
}  
}
```

Alternatively...

BIG PROBLEM WITH PARALLEL LISTS:

- have to keep the indices straight
- suppose we wanted to print the words & counts in alphabetical order
have to sort the lists, keep corresponding values together

BETTER YET:

- encapsulate the data and behavior of a word into a class
- need to store a word and its frequency → two fields (String and int)
- need to access word and frequency fields → getWord & getFrequency methods
- need to increment a frequency if existing word is encountered → increment method

Word class

```
public class Word {
    private String word;
    private int count;

    public Word(String newWord) {
        this.word = newWord;
        this.count = 1;
    }

    public String getWord() {
        return this.word;
    }

    public int getFrequency() {
        return this.count;
    }

    public void increment() {
        this.count++;
    }

    public String toString() {
        return this.getWord() + ": " + this.getFrequency();
    }
}
```

a `Word` object stores a word and a count of its frequency

constructor stores a word and an initial count of 1

`getWord` and `getFrequency` are accessor methods

`increment` adds one to the count field

`toString` specifies the value that will be displayed when you print the `Word` object

WordFreq2

requires only one list
of Word objects

- .contains is no longer (directly) applicable
- must define our own method for searching the list for a word

note: Java does provide Map classes that are even more ideal for this application

```
public class WordFreq2 {
    private ArrayList<Word> words;
    private int totalWords;

    public WordFreq2(String fileName) {
        this.words = new ArrayList<Word>();
        this.totalWords = 0;
        try {
            Scanner infile = new Scanner(new File(fileName));
            while (infile.hasNext()) {
                String nextWord = infile.next().toLowerCase();
                int index = this.findWord(nextWord);
                if (index >= 0) {
                    this.words.get(index).increment();
                }
                else {
                    this.words.add(new Word(nextWord));
                }
                this.totalWords++;
            }
        }
        catch (java.io.FileNotFoundException e) {
            System.out.println("FILE NOT FOUND: " + fileName);
        }
    }

    ///////////////////////////////////////////////////////////////////

    private int findWord(String desiredWord) {
        for (int i = 0; i < this.words.size(); i++) {
            if (this.words.get(i).getWord().equals(desiredWord)) {
                return i;
            }
        }
        return -1;
    }
}
```

WordFreq2

```
. . .

public int getCount(String str) {
    int index = this.findWord(str.toLowerCase());
    if (index >= 0) {
        return this.words.get(index).getFrequency();
    }
    else {
        return 0;
    }
}

public double getPercentage(String str) {
    int index = this.findWord(str.toLowerCase());
    if (index >= 0) {
        return 100.0*this.words.get(index).getFrequency()/this.totalWords;
    }
    else {
        return 0.0;
    }
}

public void showCounts() {
    for (Word nextWord : this.words) {
        System.out.println(nextWord);
    }
}

. . .
```

Object-oriented design

our design principles so far:

- a **class** should model some entity, encapsulating all of its state and behaviors
- a **method** should implement one behavior of an object
- a **field** should store some value that is part of the state of the object (and which must persist between method calls)
- fields should be declared private to avoid direct tampering – provide public accessor methods if needed
- **local variables** should store temporary values that are needed by a method in order to complete its task (e.g., loop counter for traversing an ArrayList)
- avoid duplication of code – if possible, factor out common code into a separate (private) method and call with the appropriate parameters to specialize

Cohesion

cohesion describes how well a unit of code maps to an entity or behavior

in a highly cohesive system:

- each class maps to a single, well-defined entity – encapsulating all of its internal state and external behaviors
- each method of the class maps to a single, well-defined behavior

advantages of cohesion:

- highly cohesive code is easier to read
 - don't have to keep track of all the things a method does
 - if method name is descriptive, makes it easy to follow code
- highly cohesive code is easier to reuse
 - if class cleanly models an entity, can reuse in any application that needs it
 - if a method cleanly implements a behavior, can be called by other methods and even reused in other classes

Coupling

coupling describes the interconnectedness of classes

in a loosely coupled system:

- each class is largely independent and communicates with other classes via a small, well-defined interface

advantages of loose coupling:

- loosely coupled classes make changes simpler
 - can modify the implementation of one class without affecting other classes
 - only changes to the interface (e.g., adding/removing methods, changing the parameters) affect other classes
- loosely coupled classes make development easier
 - you don't have to know how a class works in order to use it
 - since fields/local variables are encapsulated within a class/method, their names cannot conflict with the development of other classes.methods

Previous examples

- dot race
- real-time poll
- roulette game
- word frequency