CSC 222: Object-Oriented Programming Test 1 Sample Questions

<u>1. True or False?</u>

In Java, an attempt to compare two String values using == will result in an error.

If the *Boolean expression* (x == y & & y == z) evaluates to true, then the three int variables (x, y, and z) must all have the same value.

Short Answer

A. In the real world, objects can and often do belong to multiple classes. Identify one real-world object and two classes that it belongs to.

B. *Describe one way* in which fields and local variables are similar in Java. *Describe one way* in which they are different.

Tracing Code

Consider the following while loop:

```
String str = "x";
while (str.length() < len) {
    str = "a" + str + "b";
}</pre>
```

- Assuming len=1, what would be the value of str after executing this code segment?
- Assuming len=4, what would be the value of str after executing this code segment?

Class Implementation

Consider a SurveyTaker class, which can be used to collect data from a yes/no survey.

A. In the class definition to the right, clearly identify one of each of the following components:

- 1. field
- 2. constructor
- 3. method.
- 4. parameter

```
public class SurveyTaker {
    private int numOfYes;
    private int numOfNo;
     * Constructs a SurveyTaker object.
     * /
    public SurveyTaker() {
        this.numOfYes = 0;
        this.numOfNo = 0;
    /**
     \star Enters a response to the survey question.
    *
         @param response either "yes" or "no"
    */
    public void enterResponse(String response) {
        if (response.equals("yes")) {
            this.numOfYes++;
        else if (response.equals("no")) {
            this.numOfNo++;
        3
    }
    /**
     * Determines the number of "yes" responses
         @return number of "yes" responses so far
     *
    * /
    public int getYesses() {
        return this.numOfYes;
```

B. What would happen if the user called the enterResponse method with an input value other than "yes" or "no"? For example, suppose the user entered "maybe" in the input box when prompted by BlueJ. Would an error occur? If not, what would the method do? Explain your answer.

C. Suppose we wished to add a new method to this class that calculates and returns the percentage of "yes" responses. For example, if there have been 5 "yes" responses and 3 "no" responses entered, the method should return 62.5 (since 5/8 = 0.625 = 62.5%). Complete the percentofyes method below:

```
/** Calculates the percentage of "yes" responses that have been entered
 * @return the percentage of "yes" responses (0-100%); returns 0.0 if no responses so far
 */
public double percentOfYes() {
```